



# MAK 60

CHAIN TRENCHER



# MAK 60



PARKS



AGRICULTURE

PIPE LAYING

MICRO IRRIGATION

MAK 60 is a chain trencher on tracks suitable for laying cables and pipes in topsoil and/or mixed soils, removing only the strictly necessary material.



## STANDARD CONFIGURATION

- ✓ Honda GX390 petrol engine
- ✓ Chain guard bar
- ✓ Mechanical cleaner
- ✓ Hydraulic depth regulator
- ✓ Side shift auger to move debris effectively during excavation
- ✓ Engine stop safety device
- ✓ Rubber tracks

## EXCAVATION CHAIN

The excavation chain can be configured with different types of tools to meet different needs:

### ✓ BUCKET CHAIN

Ideal for soft soils, even grassy ones. It guarantees excellent productivity and clean cut digging.

**DIGGING WIDTH [mm]: 110 - 130 - 160**

### ✓ BIT TOOL CHAIN

Ideal on very arid and/or stony soils. It guarantees good performance and excellent digging even when stones are present.

**DIGGING WIDTH [mm]: 100 - 120**

### ✓ MIXED CHAIN

Ideal on many types of terrain. It guarantees good productivity on non-homogeneous soils. It combines the peculiarities of the bucket with the decisiveness of the bit tools.

**DIGGING WIDTH [mm]: 110 - 130 - 160**



## DIGGING PERFORMANCE

|                                |                 |
|--------------------------------|-----------------|
| Depth [mm]                     | from 0 to 600   |
| Width with bucket chain [mm]   | 110 - 130 - 160 |
| Width with bit tool chain [mm] | 100 - 120       |
| Width with mixed chain [mm]    | 110 - 130 - 160 |

## ENGINE

|                        |                       |
|------------------------|-----------------------|
| Manufacturer           | Honda                 |
| Model                  | GX390 4 cycles petrol |
| Emission level         | Stage V               |
| Displacement [cm³]     | 389                   |
| No. of cylinders       | 1                     |
| Rated power [kW / CV]  | 7.0 / 9.4 @ 3600 rpm  |
| Max. torque [N m]      | 26.5                  |
| Cooling                | Air                   |
| Starter                | Electric              |
| Voltage [V]            | 12                    |
| Fuel tank capacity [l] | 6.1                   |

## SIZE AND WEIGHT

|                               |      |
|-------------------------------|------|
| Length [mm]                   | 1450 |
| Width [mm]                    | 740  |
| Height [mm]                   | 1350 |
| Operating working weight [kg] | 330  |

## OPTIONAL

|   |
|---|
| 120 mm bit tool excavation widening kit             |
| 130 - 160 mm bucket excavation widening kit         |
| 130 - 160 mm mixed solution excavation widening kit |







## TRACKING THE FUTURE

We have been in pole position since 1963 but now it is our experience and enthusiasm that lead us. MakBrent is a story of all-Italian professionalism, but with an international purpose. It is the entrepreneurial choice of a young, solid and continuously growing Group. A team made up of people who always stand by their customers to contribute together towards a future of innovation and the achievement of many more exciting goals.

[www.makbrent.com](http://www.makbrent.com)

MakBrent srl

Via Ponticelli, 36 - 36020 Agugliaro (VI) - Italy

P. +39 (0)445 602900 - [info@makbrent.com](mailto:info@makbrent.com)